


## PRODUCT SPECIFICATION

LCM TO LUMINAIRE 6 POLE 4 CORE  
LEAD



## INTRODUCTION

Lead to connect luminaires with 4 pole panel mount (4PM) from an REA 7 BLBK 10X6/7P MB or REA 7 BLBK 5X6/7P MB Lighting Control Module (LCM) – Blue/black 6 pole male locking LCM connector to 4 pole female black non-locking luminaire connector, 4 x 1mm<sup>2</sup> conductor cores.

## FEATURES & BENEFITS

- IP Rating: IP20
- Compatible with: REA 7 BLBK 10X6/7P MB, REA 7 BLBK 5X6/7P MB

## IMAGES



## ORDER CODES

Code	Description
FF 6PM 4P3M 4PF LCM	Fast Fix 6 Pole Male Blue/Black / 4P 3M Lead / 4 Pole Female Black / 1.0mm / LS0H / Locking/LCM
FF 6PM 4P4M 4PF LCM	Fast Fix 6 Pole Male Blue/Black / 4P 4M Lead / 4 Pole Female Black / 1.0mm / LS0H / Locking/LCM
FF 6PM 4P5M 4PF LCM	Fast Fix 6 Pole Male Blue/Black / 4P 5M Lead / 4 Pole Female Black / 1.0mm / LS0H / Locking/LCM
FF 6PM 4P6M 4PF LCM	Fast Fix 6 Pole Male Blue/Black / 4P 6M Lead / 4 Pole Female Black / 1.0mm / LS0H / Locking/LCM
FF 6PM 4P7M 4PF LCM	Fast Fix 6 Pole Male Blue/Black / 4P 7M Lead / 4 Pole Female Black / 1.0mm / LS0H / Locking/LCM
FF 6PM 4P3M FE LCM	Fast Fix 6 Pole Male Blue/Black / 4P 3M Lead / Free End / 1.0mm / LS0H / Locking/LCM
FF 6PM 4P4M FE LCM	Fast Fix 6 Pole Male Blue/Black / 4P 4M Lead / Free End / 1.0mm / LS0H / Locking/LCM
FF 6PM 4P5M FE LCM	Fast Fix 6 Pole Male Blue/Black / 4P 5M Lead / Free End / 1.0mm / LS0H / Locking/LCM
FF 6PM 4P6M FE LCM	Fast Fix 6 Pole Male Blue/Black / 4P 6M Lead / Free End / 1.0mm / LS0H / Locking/LCM
FF 6PM 4P7M FE LCM	Fast Fix 6 Pole Male Blue/Black / 4P 7M Lead / Free End / 1.0mm / LS0H / Locking/LCM