




PRODUCT SPECIFICATION

LUMINAIRE TO LUMINAIRE 4 POLE
INTERCONNECTING LEAD



INTRODUCTION

Lead to connect luminaires with 4 pole panel mount (4PM) to luminaires with 6 pole panel mount (4PM) – black 4 pole male non-locking luminaire connector to 4 pole female black non-locking luminaire connector, 6 x 1.5mm² conductor cores.

LUMINAIRE TO LUMINAIRE 4 POLE INTERCONNECTING LEAD

PRODUCT SPECIFICATION

FEATURES & BENEFITS

- **IP Rating:** IP20

IMAGES



ORDER CODES

Code	Description
FF 4PM 4P3M 4PF	Fast Fix 4 Pole Male Blue/Black / 4P 3M Lead / 4 Pole Female Black / 1.5mm / LS0H / Interlink
FF 4PM 4P4M 4PF	Fast Fix 4 Pole Male Blue/Black / 4P 4M Lead / 4 Pole Female Black / 1.5mm / LS0H / Interlink
FF 4PM 4P5M 4PF	Fast Fix 4 Pole Male Blue/Black / 4P 5M Lead / 4 Pole Female Black / 1.5mm / LS0H / Interlink
FF 4PM 4P6M 4PF	Fast Fix 4 Pole Male Blue/Black / 4P 6M Lead / 4 Pole Female Black / 1.5mm / LS0H / Interlink
FF 4PM 4P7M 4PF	Fast Fix 4 Pole Male Blue/Black / 4P 6M Lead / 4 Pole Female Black / 1.5mm / LS0H / Interlink