

PRODUCT SPECIFICATION


LCM TO LUMINAIRE 6 POLE MALE BLUE-BLACK TO FEMALE 6 POLE BLUE-BLACK





LCM TO LUMINAIRE 6 POLE MALE BLUE-BLACK TO FEMALE 6 POLE BLUE-BLACK

PRODUCT SPECIFICATION



INTRODUCTION

Lead to connect dimmable luminaires with 6 pole panel mount (6PM) from an REA6 BLBK 6P MB or REA 7 BLBK 6/7P MB Lighting Control Module (LCM) – Blue/black 6 pole male locking LCM connector to 6 pole female blue-black non-locking luminaire connector, 6 x 1.5mm2 conductor cores.

LCM TO LUMINAIRE 6 POLE MALE BLUE-BLACK TO FEMALE 6 POLE BLUE-BLACK

PRODUCT SPECIFICATION

FEATURES & BENEFITS

• IP Rating: IP20

IMAGES



ORDER CODES

Code	Description
FF 6PM 6P3M 6PF LCM	Lead - LCM to luminaire, 3 metres long with 6 pole male blue/black locking connector to 6 pole female blue/black non-locking connector
FF 6PM 6P4M 6PF LCM	Lead - LCM to luminaire, 4 metres long with 6 pole male blue/black locking connector to 6 pole female blue/black non-locking connector
FF 6PM 6P5M 6PF LCM	Lead - LCM to luminaire, 5 metres long with 6 pole male blue/black locking connector to 6 pole female blue/black non-locking connector
FF 6PM 6P6M 6PF LCM	Lead - LCM to luminaire, 6 metres long with 6 pole male blue/black locking connector to 6 pole female blue/black non-locking connector
FF 6PM 6P7M 6PF LCM	Lead - LCM to luminaire, 7 metres long with 6 pole male blue/black locking connector to 6 pole female blue/black non-locking connector