



## PRODUCT SPECIFICATION

---

RC18 (REACTA CONTROL SENSOR)



---

## INTRODUCTION

---

The RC18 sensor provides both daylight regulation and presence detection with an IP65 rating and remote control commissioning and is suitable for mounting heights ranging from 8 to 18M.

---

## FEATURES & BENEFITS

---

- Mounting Type: Integral
- Wireless: Yes
- Minimum Mounting Height: 8M
- Maximum Mounting Height: 18M
- Presence Detection: Passive Infra-Red
- Daylight Control: Daylight regulation / Bright Out
- Detection Diameter: 21M At Max Mounting Height
- Output: DALI
- Programmer: Remote Control
- Voltage: DALI
- Control: Up to 64 drivers
- Operating Temperature: -20°C to + 50°C
- IP Rating: IP65
- Colour: White
- Standby Power: 0.5W

---

## ADJUSTABLE PARAMETERS

---

- PIR: ON / OFF
- Daylight Dimming: YES / NO
- Daylight Level: 10 to 1000 Lux
- High Time Delay: 15sec to 60min
- Low Light Level: 1-100%
- Low Time Delay: 15sec to 60min / Continuous
- High Light Level: 1-100%
- Fade Rate: 3-300 Seconds

---

## SENSOR DETECTION

---

