



PRODUCT SPECIFICATION

REA 7 10X4/6P MB



INTRODUCTION

The REA7 10X4/6P MB is a Lighting control module (LCM) with a 10 way luminaire connection centre with 2 separate ways for connecting non-dimming Reacta 7 sensors. Luminaires are connected using 4 pole black locking connection leads whilst the sensors are connected using 5 pole Blue/Black locking connection leads.

4 Pole pre-wired luminaire leads, 5 Pole sensor connecting leads and 4 or 6 pole male plugs are available separately.

FEATURES & BENEFITS

- **Supply Power Source:** 230V
- **IP Rating:** IP20
- **Nominal voltage:** 230V 50Hz
- **Recommended circuit protection:** 10Amp
- **Maximum load per socket outlet:** 6Amps
- **Maximum total LCM load:** 10Amps
- **Supply terminal capacity:** 4.0mm² (2 x 1.5mm²)
- **Case material:** Polycarbonate UL94 VO
- **Case finish:** Lightly sparked
- 10 x Luminaire sockets black female connectors with locking rails.
- 2 x Sensor sockets blue/black female connectors with locking rails

IMAGES



ORDER CODES

Code	Description
REA 7 10X4/5P MB	Lighting Control Module (LCM), 10 Black Luminaire Sockets, 2 Blue/Black Sensor Sockets