



## PRODUCT SPECIFICATION

REA 7 10X4/6P MB



## INTRODUCTION

The REA7 10X4/6P MB is a Lighting control module (LCM) with a 10 way luminaire connection centre with 2 separate ways for connecting non-dimming Reacta 7 sensors. Luminaires are connected using 4 pole black locking connection leads whilst the sensors are connected using 5 pole Blue/Black locking connection leads.

4 Pole pre-wired luminaire leads, 5 Pole sensor connecting leads and 4 or 6 pole male plugs are available separately.

FEATURES & BENEFITS

- Supply Power Source: 230V
- IP Rating: IP20
- Nominal voltage: 230V 50Hz
- Recommended circuit protection: 10Amp
- Maximum load per socket outlet: 6Amps
- Maximum total LCM load: 10Amps
- Supply terminal capacity: 4.0mm² (2 x 1.5mm²)
- Case material: Polycarbonate UL94 VO
- Case finish: Lightly sparked
- 10 x Luminaire sockets black female connectors with locking rails.
- 2 x Sensor sockets blue/black female connectors with locking rails

IMAGES



ORDER CODES

Code	Description
REA 7 10X4/5P MB	Lighting Control Module (LCM), 10 Black Luminaire Sockets, 2 Blue/Black Sensor Sockets