



PRODUCT SPECIFICATION

REA 7 BLBK 5X6/7P MB



INTRODUCTION

The REA7 BLBK 5X6/7P MB is a Lighting control module (LCM) with a 5 way luminaire connection centre with a connection for a Reacta 7 sensor. Luminaires are connected using 6 pole blue/black locking connection leads whilst the sensor is connected using 7 pole black/black locking connection leads.

6 Pole pre-wired luminaire leads, 7 Pole sensor connecting leads and 6 or 7 pole male plugs are available separately

FEATURES & BENEFITS

- Supply Power Source: 230V
- IP Rating: IP20
- Nominal voltage: 230V 50Hz
- Recommended circuit protection: 10Amp
- Maximum load per socket outlet: 6Amps
- Maximum total LCM load: 10Amps
- Supply terminal capacity: 4.0mm² (2 x 1.5mm²)
- Case material: Polycarbonate UL94 VO
- Case finish: Lightly sparked
- 5 x Luminaire sockets blue/black female connectors with locking rails
- 1 x Sensor sockets blue/black female connectors with locking rails.

IMAGES



ORDER CODES

Code	Description
REA 7 BLBK 5X6/7P MB	Lighting Control Module (LCM), 5 Blue/Black Luminaire Sockets, 1 Blue/Black Sensor Socket