



PRODUCT SPECIFICATION

REA 7 BLBK 10X6/7P MB



INTRODUCTION

The REA7 BLKB 10X6/7P MB is a Lighting control module (LCM) with a 10 way luminaire connection centre with 2 separate ways for connecting Reacta 7 sensors. Luminaires are connected using 6 pole blue/black locking connection leads whilst the sensors are connected using 7 pole black/black locking connection leads.

6 Pole pre-wired luminaire leads, 7 Pole sensor connecting leads and 6 or 7 pole male plugs are available separately.



FEATURES & BENEFITS

- Supply Power Source: 230V
- IP Rating: IP20
- Nominal voltage: 230V 50Hz
- Recommended circuit protection: 10Amp
- Maximum load per socket outlet: 6Amps
- Maximum total LCM load: 10Amps
- Supply terminal capacity: 4.0mm² (2 x 1.5mm²)
- Case material: Polycarbonate UL94 VO
- Case finish: Lightly sparked
- 10 x Luminaire sockets blue/black female connectors with locking rails
- 2 x Sensor sockets blue/black female connectors with locking rails

IMAGES



DIAGRAMS



ORDER CODES

Code	Description
REA 7 BLBK 10X6/7P MB	Lighting Control Module (LCM), 10 Blue/Black Luminaire Sockets, 2 Blue/Black Sensor Sockets