



Dextra
GROUP PLC





INTRODUCTION

The REA7 BLBK 10X6/7P MB is a Lighting control module (LCM) with a 10 way luminaire connection centre with 2 separate ways for connecting Reacta 7 sensors. Luminaires are connected using 6 pole blue/black locking connection leads whilst the sensors are connected using 7 pole black/black locking connection leads.

6 Pole pre-wired luminaire leads, 7 Pole sensor connecting leads and 6 or 7 pole male plugs are available separately.



FEATURES & BENEFITS

- **Supply Power Source:** 230V
- **IP Rating:** IP20
- **Nominal voltage:** 230V 50Hz
- **Recommended circuit protection:** 10Amp
- **Maximum load per socket outlet:** 6Amps
- **Maximum total LCM load:** 10Amps
- **Supply terminal capacity:** 4.0mm² (2 x 1.5mm²)
- **Case material:** Polycarbonate UL94 V0
- **Case finish:** Lightly sparked
- 10 x Luminaire sockets blue/black female connectors with locking rails
- 2 x Sensor sockets blue/black female connectors with locking rails

IMAGES



DIAGRAMS



ORDER CODES

Code	Description
REA 7 BLBK 10X6/7P MB	Lighting Control Module (LCM), 10 Blue/Black Luminaire Sockets, 2 Blue/Black Sensor Sockets