PRODUCT SPECIFICATION

LCM TO SENSOR 7 POLE 7 CORE LEAD

 \otimes

 \otimes

 \otimes






8

LCM TO SENSOR 7 POLE 7 CORE LEAD

PRODUCT SPECIFICATION



INTRODUCTION

Lead to connect dimmable REA 7 sensor to an REA 7 BLBK 10X6/7P MB or REA7 BLBK 5X6/7P MB Lighting Control Module (LCM) – Blue/black 7 pole male locking LCM connector to 5+2 pole female blue-black non-locking sensor connector, 7 x 1mm2 conductor cores.


LCM TO SENSOR 7 POLE 7 CORE LEAD

PRODUCT SPECIFICATION

FEATURES & BENEFITS

• Compatible with: REA 7 BLBK 10X6/7P MB, REA 7 BLBK 5X6/7P MB

IMAGES



ORDER CODES

 Code
 Description

 FF 7PM 7P3M FE LCM
 Fast Fix 7 Pole Male / 7P 3M Lead / Free End / 1.0mm / LS0H / Locking / LCM / Blue Black

 FF 7PM 7P5M FE LCM
 Fast Fix 7 Pole Male / 7P 5M Lead / Free End / 1.0mm / LS0H / Locking / LCM / Blue Black