



PRODUCT SPECIFICATION

RAS (REACTA-AIR SENSOR)



INTRODUCTION

The Reacta-Air sensor is an integrally mounted sensor offering both presence detection and daylight regulation and also includes a wireless linking system that allows luminaires to be grouped for simultaneous operation. The commissioning process is carried out via a tablet or smart phone with the appropriate app.

The Reacta-Air sensor is compatible with a range of wireless wall switches which are both wirelessly connected to the sensor and battery operated ensuring that switches can be installed quickly and easily wherever required with minimal disruption.

Apps User Manual

View [here](#) for more about our wireless controls.

FEATURES & BENEFITS

- **Mounting Type:** Integral
- **Wireless:** Yes
- **Maximum Mounting Height:** 3m
- **Occupancy Detection:** PIR
- **Daylight Control:** Daylight Regulation
- **Output:** DALI
- **Output:** Wireless
- **IP Rating:** IP20
- **Programmer:** MasterConnect app


ADJUSTABLE PARAMETERS

- **Occupied mode:** Presence/Absence/Manual
- **Occupied Level:** 1-100%
- **Occupied Time:** up to 100 minutes
- **Transition Time:** up to 100 minutes or forever
- **Transition Level:** 1-100%
- **Daylight Regulation:** Enabled/Disabled
- **Grouping:** Enabled/Disabled
- More parameters available on programmer

IMAGES



SENSOR DETECTION





Indoor Accessories

UID8470/10 ZGP Switch Dim 2B

Indoor lighting control accessories cover all the user interfaces, sensors, cables, dimmers and other accessories that can be used with our control systems or stand-alone with our lighting systems.

Indoor lighting control accessories cover all the user interfaces, sensors, cables, dimmers and other accessories that can be used with our control systems or standalone with our lighting systems.

Product data

General Information		Order product name	UID8470/10 ZGP Switch Dim 2B
CE mark	CE mark	EAN/UPC - Product	8719514273771
EU RoHS compliant	Yes	Order code	913701055703
Application Conditions		Numerator - Quantity Per Pack	1
Ambient temperature range	-20 to +55 °C	Numerator - Packs per outer box	50
Product Data		Material Nr. (12NC)	913701055703
Full product code		Net Weight (Piece)	0.065 kg