



PRODUCT SPECIFICATION

CHROMIX FLOOD



INTRODUCTION

The Chromix Flood is our second generation high power colour changing RGBW DMX compatible floodlight designed to highlight architectural features both internally and externally with colour washing effects. With a marine grade paint finish the Chromix Flood is suitable for both inland and coastal areas while the lens design ensures accurate light distribution in either 8° or 40° beam angles.

The Chromix Flood incorporates a modular design allowing up to three heads to be mounted on a dedicated bracket, each of which can be individually pivoted providing the versatility to produce multiple directions of light from a single installation point.

**UK
CA** CE IP65 IK06 230V

APPLICATION

- Exterior
- Parking / Exterior

SPECIFICATION

CONSTRUCTION

- Housing: Extruded aluminium
- Finish: Polyester powder painted RAL 9006 matt grey, marine grade salt spray tested
- Endcaps: High pressure die cast aluminium
- Diffuser: 5mm toughened glass
- Lens: Injection moulded PMMA lens
- IP65
- IK06

EMERGENCY

- Not available with emergency

CONTROL

- RGBW Colour Changing
- DMX dimming only

INSTALLATION

- Suitable for surface installation
- Suitable for external surface installation

VARIATIONS

- Available in a range of lens options offering multiple beam angles

IMAGES

PRODUCT IMAGES



CHROMIX FLOOD



CHROMIX FLOOD




CHROMIX FLOOD

PROJECT IMAGES



TECHNICAL



WARRANTY

At Dextra our commitment to service has been at the forefront throughout our history spanning more than forty years in the UK lighting market. Our service ethos extends beyond design and delivery, we believe supporting your installation throughout the warranty period is equally crucial, whilst the strength and longevity of Dextra Group provides peace of mind that our warranty will be supported throughout.

The Dextra range is supplied with a five year warranty commencing from the date of delivery. During the first three years defects will be repaired on site and the warranty will include both parts and labour. For the final two years drivers, emergency modules, wireless modules, sensors and LED circuits will be supplied free of charge to replace defective components, labour and other associated costs are not included.

Certain ranges and components are subject to exemptions:

- Lithium batteries are provided with a three year warranty for parts and labour. Nickel Metal Hydride and Nickel Cadmium batteries are provided with a one year warranty for parts and labour.
- Emergency luminaires including AME LED, EXI LED, EXI2 LED, EXI Track, HBE LED, HBE2 LED, OAT2 LED, OEZ LED and Twinspot with Nickel Metal Hydride batteries are supplied with a one year warranty for parts and labour. Lithium variants of these ranges are supplied with a three year warranty for parts and labour with the exception of the AME2, EXI3, HBE3 and TWS IP65 L7 ranges which are supplied with a one year parts and labour warranty. TWS IP65 L7 in autotest and wireless variants are supplied with the standard three year lithium battery warranty.
- Protec Micro, PTECF7 Fire Rated Downlights, Serenus and the Opus Sconce are provided with a five year replacement luminaire only warranty. Protec FR Fire Rated Downlights are provided with a 2 year replacement luminaire only warranty.
- Controls systems such as standalone sensors, switches, marshalling boxes and cabling are provided with a one year warranty for both parts and labour. DALI control systems are provided with a two year warranty for both parts and labour.
- LEDextra ranges are supplied with a three year parts or replacement luminaire only warranty with the exception of the IMPR RGBW, the Runway RGBW, the MOD RGBW and the Tanek RGBW. These three ranges are supplied with our standard five year warranty during which defects within the first three years will be repaired on site and the warranty includes both parts and labour. For the final two years free of charge replacement components only will be supplied to rectify any failures but labour and other associated costs are not included.
- LEDEX ranges are supplied with a three year replacement luminaire only warranty.
- The Decorative Pendant ranges, Bebo, Dene, Nova, Fino and Stix are supplied with a 3 year replacement luminaire only warranty.

All warranties are subject to correct use of the product and will be invalidated by misuse, for example incorrect installation, unsuitable environmental conditions or incorrect maintenance. It is the duty of the customer to ensure that all the fault lies with the luminaire prior to requesting replacement parts or site repairs. In the event that no defect is found with the product our costs for attending site will be recharged to the customer and credit will not be issued against returned products. No consequential losses incurred resulting from any defect with our product will be reimbursed.

Given the nature of LED technology a small percentage of LEDs may fail during the lifetime of a luminaire, this does not cause a reduction in lumen output. As such LED luminaires are only deemed to be faulty for warranty purposes when in excess of ten percent of LEDs have failed in a single luminaire

On site repair of products under warranty will be undertaken during normal working hours, 9am to 5pm Monday to Friday, and will require unrestricted access to luminaires. Where required Dextra will provide access equipment to carry out repairs at height, should luminaires have been installed in locations where reasonable provision for maintenance access has not been made we reserve the right to supply replacement product only.

If you require any assistance with regards to our products please contact our Customer Services department on 01747 858100.

[DOWNLOAD WARRANTY PDF](#)

ORDER CODES

LUMINAIRE

Code	Description	Power	Luminous Flux
CHF 100 0808 RGBW MG	Chromix Flood RGBW C84, 4in1 Cree, RDM DMX, Single Bracket, 8 Degree, IP65, IK06, RAL9006	107.9W	781lm Red, 1,235lm Green, 453lm Blue, 1,268lm White, 3,737lm RGBW
CHF 100 4040 RGBW MG	Chromix Flood RGBW C84, 4in1 Cree, RDM DMX, Single Bracket, 40 Degree, IP65, IK06, RAL9006	108.8W	746lm Red, 1,166lm Green, 437lm Blue, 1,202lm White, 3,551lm RGBW